

Rabbit Dental Chart

Owner Name


Animal Name

Dental History


Dietary History

Upper Arcade		Occlusion	Gingiva	Furcation	Mobility	Periodontia	Plaque	Calculus
11	M3							
110	M2							
109	M1							
108	P3							
107	P2							
106	P1							
102	I2							
101	I1							
201	I1							
202	I2							
206	P1							
207	P2							
208	P3							
209	M1							
210	M2							
211	M3							

Lower Arcade		Occlusion	Gingiva	Furcation	Mobility	Periodontia	Plaque	Calculus
411	M3							
410	M2							
409	M1							
408	P2							
407	P1							
401	I1							
301	I1							
307	P1							
308	P2							
309	M1							
310	M2							
311	M3							



UPPER



LOWER



Dental Formulas

	Incisors	Canines	Premolars	Molars
European rabbit	2/1	0/0	3/2	3/3

Radiographs		Local Anesthetic Nerve Blocks	
Pre-anesthesia bloodwork	<input type="checkbox"/>	Root planing	<input type="checkbox"/>
General anesthesia	<input type="checkbox"/>	Polishing	<input type="checkbox"/>
Radiographs	<input type="checkbox"/>	Gingival lavage	<input type="checkbox"/>
Supra-gingival scaling	<input type="checkbox"/>	Gingival surgery	<input type="checkbox"/>
Subgingival scaling	<input type="checkbox"/>	Dental extraction	<input type="checkbox"/>
		Periodontal splinting	<input type="checkbox"/>
		Crown height reduction	<input type="checkbox"/>
		Oro-facial surgery	<input type="checkbox"/>
		Root canal (endodontics)	<input type="checkbox"/>
		Dental filling (restoration)	<input type="checkbox"/>

Gingivitis	0	Normal, healthy gingiva
	1	Moderate inflammation (moderate redness, edema)
	2	Moderate inflammation (moderate to severe redness, edema, bleeding upon probing)
	3	Severe inflammation

Furcation Index	0	No loss of bone support
	1	Horizontal loss of supporting tissues not exceeding 1/3rd of the width of the tooth
	2	Horizontal loss exceeding 1/3rd of tooth width
	3	Horizontal through and through loss of supporting tissue

Mobility Index	0	No mobility
	1	Perceptible movement less than 1 mm buccolingually
	2	Definite movement between 1-2 mm
	3	Gross movement exceeding 2 mm buccolingually and/or vertically